



IECEx Certificate of Conformity

INTERNATIONAL ELECTROTECHNICAL COMMISSION IEC Certification Scheme for Explosive Atmospheres

for rules and details of the IECEx Scheme visit www.iecex.com

Certificate No.: IECEx BKI 04.0006 Issue No: 3 Certificate history:
Status: **Current** Page 1 of 4 Issue No. 3 (2013-11-12)
Date of Issue: **2013-11-12** Issue No. 2 (2011-09-19)
Applicant: **Cooper Crouse-Hinds GmbH previously CEAG Sicherheitstechnik GmbH** Issue No. 1 (2006-04-06)
Neuer Weg Nord 49
D-69412 Eberbach, Germany
Germany
Electrical Apparatus: **Plug-and-socket device, Typ GHG 512R....**
Optional accessory:
Type of Protection: **General requirements, Flameproof enclosures, Increased safety**
Marking: Ex ed IIC T6 or T5
-55 °C ≤ Tamb ≤ +55 °C

Approved for issue on behalf of the IECEx
Certification Body:

János FEJES

Position:

Director

Signature:
(for printed version)

Date:

1. This certificate and schedule may only be reproduced in full.
2. This certificate is not transferable and remains the property of the issuing body.
3. The Status and authenticity of this certificate may be verified by visiting the [Official IECEx Website](http://www.iecex.com).

Certificate issued by:

Testing Station for Explosion Proof Equipment
H 1037 BUDAPEST
MIKOVINY S.u. 2-4
Hungary





IECEx Certificate of Conformity

Certificate No: IECEx BKI 04.0006 Issue No: 3
Date of Issue: 2013-11-12 Page 2 of 4
Manufacturer: **Cooper Crouse-Hinds GmbH previously CEAG Sicherheitstechnik GmbH**
Neuer Weg Nord 49
D-69412 Eberbach, Germany
Germany

Additional Manufacturing
location(s):

S.C. COOPER INDUSTRIES ROMANIA S.R.L
ARAD, Zona Industrial NV, str III, no 12
Romania

This certificate is issued as verification that a sample(s), representative of production, was assessed and tested and found to comply with the IEC Standard list below and that the manufacturer's quality system, relating to the Ex products covered by this certificate, was assessed and found to comply with the IECEx Quality system requirements. This certificate is granted subject to the conditions as set out in IECEx Scheme Rules, IECEx 02 and Operational Documents as amended.

STANDARDS:

The electrical apparatus and any acceptable variations to it specified in the schedule of this certificate and the identified documents, was found to comply with the following standards:

IEC 60079-0 : 2000 Edition:3.1	Electrical apparatus for explosive gas atmospheres - Part 0: General requirements
IEC 60079-1 : 2001 Edition:4	Electrical apparatus for explosive gas atmospheres - Part 1: Flameproof enclosures 'd'
IEC 60079-7 : 2001 Edition:3	Electrical apparatus for explosive gas atmospheres - Part 7: Increased safety 'e'

*This Certificate **does not** indicate compliance with electrical safety and performance requirements other than those expressly included in the Standards listed above.*

TEST & ASSESSMENT REPORTS:

A sample(s) of the equipment listed has successfully met the examination and test requirements as recorded in

IECEx ATR:	File Reference:
HU/BKI/04/P-002-04/5-1, HU/BKI/04/P-002-04/5-2	P-002-04/5
HU/BKI/04/P-002-04/5-3	
HU/BKI/ExTR06.0006/00, HU/BKI/QAR06.0004/00, DE/BVS/QAR11.0009/00, DE/BVS/QAR11.0006/02	P-008-05/16



IECEx Certificate of Conformity

Certificate No: IECEx BKI 04.0006

Issue No: 3

Date of Issue: 2013-11-12

Page 3 of 4

Schedule

EQUIPMENT:

Equipment and systems covered by this certificate are as follows:

The type GHG 512....R.... plug-and-socket device serves to connect portable electrical apparatus or to make connections in potentially explosive atmospheres.

The following variant is permissible: transformer plugs (isolating transformer, class of protection II). Auxiliary or control contacts in wall-mounting socket outlets may optionally be used.

Staggered grooves guarantee that only plugs or socket outlets of identical rated voltage will be used together. Mechanical marking ensures that the plugs of the type GHG 532....V.... plug-and-socket device (Certificate of Conformity PTB Nr. Ex-85.B.1066) can be used for the wall-mounting socket outlet and the coupling.

Rated voltage	up to	750 V
Rated current	max	32 A
Utilization category		AC-3
Transformer plug		
Rated voltage, primary	up to	250 V
Rated voltage, secondary ...	up to	42 V
Power consumption	max	65 VA
Miniature fuse ...		0,5 A
Temperature class		T5
Rated frequency	up to	400 Hz
Rated cross-section	plug max.	6 mm ²
	coupling max	4 mm ²
	wall-mounting socket max	4 mm ²
	main terminals	10 mm ²
	auxiliary terminals	2,5 mm ²

Ingress protection: IP54 by IEC 60529

CONDITIONS OF CERTIFICATION: NO



IECEX Certificate of Conformity

Certificate No: IECEx BKI 04.0006

Issue No: 3

Date of Issue: 2013-11-12

Page 4 of 4

DETAILS OF CERTIFICATE CHANGES (for issues 1 and above):

New manufacturing location:

S.C. COOPER INDUSTRIES ROMANIA S.R.L

ARAD, Zona Industrial NV, str III, no 12

ROMANIA

The IECEx QAR of the new manufacturing location:

DE/BVS/QAR11.0006/02